



Binnenunit	Fabriekscode	IM1-XY 35M		Fabriekscode	Unité intérieure
Koelmiddel		R32			Réfrigérant
Verwarming (*)	Vermogen	kW	3.8	kW	Puissance
					Chauffage (*)
Koeling (*)	Vermogen	kW	3.5	kW	Puissance
					Refruid. (*)
Binnendeel	Debiet L/M/H	m³/h	294/480/540	m³/h	Débit L/M/H
	Geluidsdruk Q/L/M/H (1m)	dB(A)	21/22/32/38	dB(A)	Niv. son. press. Q/L/M/H (1m)
	Werkingslim. verwarmen	°C	17~30	°C	Plage de fonct. chauff.
	Werkingslim. koelen	°C	17~30	°C	Plage de fonct. refroid.
	Hoogte-breedte-lengte	mm	297/189/802	mm	Hauteur/largeur/profond.
	Gewicht	kg	8.2	kg	Poids
Tech.install.	Expansie		Ext.		Détente
	Koelleidingen	inch	3/8 -1/4	inch	Lignes frigorifique
	Sectie tssn bi en bu	mm²	4G1.5	mm²	Section entre int. et ext.
	Diam. Condensafvoer	mm	16	mm	Diam. évac. Condensat
					Install. Techn.

(\*) gegevens volgens de norm EN14511

(\*) SCOP &amp; SEER based on (EU)626/2011

(\*) suivant la norme EN14511



